

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	31	(compar\$ with cipher\$ with length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 17:05
L4	16	(compar\$ with (cipher\$ or encrypt\$) with bit with length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 17:06
S1	532	(380/37).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 14:38
S2	319	(713/161).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 14:39
S3	10	(compar\$ with bit with length with encrypt\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 14:47
S4	11	(compar\$ with bit with length\$ with encrypt\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 14:47
S5	11	(compar\$ with encrypt\$ with bit with length\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 15:04
S6	119	(compar\$ with encrypt\$ with length\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 15:05
S7	112	(compar\$ with encrypt\$ with length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 15:05

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	31	(compar\$ with cipher\$ with length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 17:05
L4	16	(compar\$ with (cipher\$ or encrypt\$) with bit with length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 17:06
L5	9350	(DUT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 17:52
L6	23927	(DUT) OR DEVICE WITH UNDER WITH TEST	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 17:52
L7	23927	(DUT) OR (DEVICE WITH UNDER WITH TEST)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 17:52
L8	7212	(device with under with test).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 17:53
L10	2	(device with under with test) and cipher with block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 18:49
L11	1	(device with under with test) and cipher with block and length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 17:55
L12	2	(device with under with test) and cipher with block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 17:57

## EAST Search History

L13	2	(device with under with test) and cipher with block and compar\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 18:28
L14	1306	(bit with length with match\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 18:28
L15	7	(bit with length with match\$ with encrypt\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 18:33
L17	1338	((bit with length) or (initialization with vector)) with match\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 18:35
L18	13	((bit with length) or (initialization with vector)) with match\$ and block with cipher	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 18:41
L19	24	(compar\$ with cipher with length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 18:41
L20	17	(initialization with vectors with compar\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 18:50

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	31	(compar\$ with cipher\$ with length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 17:05
L4	16	(compar\$ with (cipher\$ or encrypt\$) with bit with length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 17:06
L5	9350	(DUT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 17:52
L6	23927	(DUT) OR DEVICE WITH UNDER WITH TEST	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 17:52
L7	23927	(DUT) OR (DEVICE WITH UNDER WITH TEST)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 17:52
L8	7212	(device with under with test).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 17:53
L10	2	(device with under with test) and cipher with block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 18:49
L11	1	(device with under with test) and cipher with block and length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 17:55
L12	2	(device with under with test) and cipher with block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 17:57

## EAST Search History

L13	2	(device with under with test) and cipher with block and compar\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 18:28
L14	1306	(bit with length with match\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 18:28
L15	7	(bit with length with match\$ with encrypt\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 18:33
L17	1338	((bit with length) or (initialization with vector)) with match\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 18:35
L18	13	((bit with length) or (initialization with vector)) with match\$ and block with cipher	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 18:41
L19	24	(compar\$ with cipher with length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 18:41
L20	17	(initialization with vectors with compar\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 19:11
L21	45	(compar\$ with initialization with vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 19:12
L22	22	(compar\$ with initialization with vector) and test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 19:14
L23	13	(compar\$ with (initialization adj vector)) and test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 19:16

## EAST Search History

L24	1	(compar\$ with (initialization adj vector)) and (device with under with test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 19:18
L27	2	(device with under with test) and cipher with block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 19:19